



CERTIFICATE OF COMPLIANCE

Sertifikat Kesesuaian

THD

Certificate No.: QI-25/07/0393

Nomor Sertifikat

Issued date: 24 July 2025

Diterbitkan tanggal

TESTING OBJECT

objek pengujian

: LED PJU SIM 30

TYPE

Jenis

: SIM 30

SPECIFICATION

Spesifikasi

: 30 Watt ; 200-277V AC ; 50/60Hz ; IP66 ; IK10

BRAND

Merek



TESTED FOR

Diuji untuk

: PT. DUTA CAHAYA MANDIRI

ADDRESS

Alamat

: Jl. Raya Serpong Km.7 No.58, Kel. Pakualam, Kec. Serpong Utara,
Kota Tangerang Selatan, Prov. Banten Indonesia.

Date of Test

Tanggal uji

: 22 July 2025

Test Standard

Metode uji

: IEC 61000-3-2:2014

THD (%)

: 7.32 %

The EUT described above has been tested by laboratory and found in compliance with the standard IEC 61000-3-2:2014. The certificate applies only the object tested.

Objek uji yang diuraikan diatas telah diuji oleh laboratorium dan ditemukan kesesuaian dengan standard IEC 61000-3-2:2014. Sertifikat ini hanya berlaku untuk objek yang diuji.

Harmonic Current Emissions Test

IEC 61000-3-2:2014

THD

Referring to test report no.: QI-25/07/0393

Berdasarkan laporan pengujian nomor : QI-25/07/0393

Tangerang, 24 July 2025

**Approved and digitally signed on behalf of
PT. Qualis Indonesia**



Riki Suferdi

Technical Manager Lab.

Valid until

: 23 July 2028

Berlaku hingga

This document is electronically generated and bears no signature. Please scan QR code to verify document originality.

The results relate only to the items tested. This report shall not be reproduced except in full.
Do not copy this report without written consent from authorized personnel of PT Qualis Indonesia.

PT. Qualis Indonesia || Testing, Certification, Inspection, Calibration

Head Office & Laboratory

Jl. Pajajaran no. 17, Gandasari, Kec. Jatiuwung, Tangerang 15137 – INDONESIA
T: (021) 5565 2583/86 || F: (021) 5565 2489 || www.qualis-indonesia.com

Marketing Office

Artha Gading Niaga Blok H no. 1-2, Kelapa Gading, Jakarta Utara 14240 – INDONESIA
T: (021) 4585 0885/87 || F: (021) 4585 0661 || www.qualis-indonesia.com



LAPORAN HASIL UJI
TEST REPORT

NOMOR LAPORAN PENGUJIAN <i>Test Report No</i>	: QI-25/07/0393	NOMOR ORDER <i>Order No</i>	: WO/2025070565
DITERBITKAN TANGGAL <i>Date of issue</i>	: 22 July 2025		
TOTAL HALAMAN <i>Total number of pages</i>	: 08 Halaman : 08 pages		
LABORATORIUM PENGUJIAN <i>Testing Laboratory</i>	: PT. QUALIS INDONESIA		
ALAMAT <i>Address</i>	: Jl. Pajajaran No. 17 Desa Gandasari Kec. Jatiuwung, Tangerang 15137, Banten, Indonesia Telp. 021 5565 2583 / 86 Fax. 021 5565 2489 Website: www.qualis-indonesia.com		
NAMA PEMOHON <i>Applicant's Name</i>	: PT. DUTA CAHAYA MANDIRI		
ALAMAT PEMOHON <i>Address of Applicant</i>	: Jl. Raya Serpong Km.7 No.58, Kel. Pakualam, Kec. Serpong Utara, Kota Tangerang Selatan, Prov. Banten Indonesia.		
ALAMAT PABRIK <i>Address of Manufacturer</i>	: Jl. Raya Serpong Km.7 No.58, Kel. Pakualam, Kec. Serpong Utara, Kota Tangerang Selatan, Prov. Banten Indonesia.		
SPEKIFIKASI PENGUJIAN <i>Test Specification</i>	: Sesuai dengan permintaan pelanggan <i>in accordance with customer requests</i>		
STANDAR PENGUJIAN/METODE UJI <i>Test Method / Reference Standard</i>	: IEC 61000-3-2:2014		
PARAMETER PENGUJIAN <i>Test Parameter</i>	: Harmonic Current Emissions		
PRODUK UJI <i>Equipment Under Test (EUT)</i>			
DESKRIPSI SAMPEL <i>Sample Description</i>	: LED PJU SIM 30		
MEREK <i>Brand</i>			
TIPE <i>Type</i>	: SIM 30		
NOMOR MODEL <i>Model number</i>	: -		
NOMOR SERI <i>Serial Number</i>	: SIM30-25-06		
KONDISI <i>Condition</i>	: Sampel dikirim oleh pelanggan dan diterima dalam kondisi baik tanpa ada fungsi yang hilang. <i>The sample was submitted by customer and received in good condition without any missing functions.</i>		

The results relate only to the items tested. This report shall not be reproduced except in full.
Do not copy this report without written consent from authorized personnel of PT Qualis Indonesia.

PT. Qualis Indonesia || Testing, Certification, Inspection, Calibration

Head Office & Laboratory

Jl. Pajajaran no. 17, Gandasari, Kec. Jatiuwung, Tangerang 15137 – INDONESIA
T: (021) 5565 2583/86 || F: (021) 5565 2489 || www.qualis-indonesia.com

Marketing Office

Artha Gading Niaga Blok H no. 1-2, Kelapa Gading, Jakarta Utara 14240 – INDONESIA
T: (021) 4585 0885/87 || F: (021) 4585 0661 || www.qualis-indonesia.com

RINGKASAN HASIL PENGUJIAN
Summary Test Result

EMISSION		
Standard	Test Parameter	Test Result
IEC 61000-3-2:2014	Harmonic Current Emissions	P

Possible Test Case Verdicts

:	
❖ Test object does meet the requirement	: P (Pass)
❖ Test object does not meet the requirement	: F (Fail)
❖ Neither assessed nor tested	: N/N
❖ Required by Standard but not applicable to test object	: N/A
❖ Required by Standard but not tested	: N/T
❖ Not required by standard for the test object	: N/R

HASIL PENGUJIAN
Test Result

: Terlampir
Attached

PENGUJIAN
Testing

TANGGAL PENERIMAAN
Date of receipt of test item : 04 July 2025

TANGGAL PENGUJIAN
Date (s) of performance of tests : 22 July 2025

Note:

Duplication of test report shall not be carried out without written consent from authorized personnel of PT.Qualis Indonesia. The test results presented in this report relate only to the object tested, the results contained in this report reflect the result for this particular model and serial number, it is responsibility of the manufacturer to ensure that all production models meet the intent of the requirements detailed within this report. This test report does not grant permission to affixing the name of PT.Qualis Indonesia any safety mark on this particular or other similar products. Issuance of this report is governed by terms and conditions as set out on the last page of this document.

**Approved and digitally signed on behalf of
PT. Qualis Indonesia**

Tangerang, 24 July 2025



Riki Suferdi
Laboratory Manager

This document is electronically generated and bears no signature. Please scan above QR code to verify document originality.

REPORT INDEX

1. EUT Description	4
1.1 EUT Specification	4
1.2 Photo of EUT	4
1.3 Supporting Equipment Used During Testing	5
1.4 EUT Operation Modes	5
2. Test Results	5
2.1 Harmonic Current Emissions	5
2.1.1 Test Specification	5
2.1.2 Test Setup	5
2.1.3 Measurement Result	6


A large, faint, light purple version of the Qualis logo, consisting of a stylized 'Q' and the word 'Qualis' in a serif font, is centered in the background of the page.

1. EUT Description

1.1 EUT Specification

Sample Description	: LED PJU SIM 30
Brand	: 
Type	: SIM 30
Model Number	: -
Serial Number	: SIM30-25-06
Voltage (V) ; Frequency (Hz)	: 200-277V AC; 50/60Hz
Power (W)	: 30Watt

1.2 Photo of EUT



1.3 Supporting Equipment Used During Testing

Description	Laboratory
AC Power Source	LED
Digital Power Meter	LED

1.4 EUT Operation Modes

Power	ON
Voltage ; Frequency	220V AC ; 50 Hz

2. Test Results

2.1 Harmonic Current Emissions

2.1.1 Test Specification

Standard	: IEC 61000-3-2:2014
Limit Classification Base on Standard	: Class C with active input power > 25 W
Temperature (°C)	: 25.2°C
Humidity (%)	: 54 %
Voltage (V) ; Frequency (Hz)	: 220V ; 50Hz
Power in LED Label (P)	: 30 watt
Precondition on mode Duration	: 15 Minutes
Aging Duration	: 15 Minutes

2.1.2 Test Setup




The Harmonic Current Emissions test setup can be seen in Figure 1.



Figure 1 - Test Setup of Harmonic Current Emissions

2.1.3 Measurement Result

Limit Class	: IEC 61000-3-2:2014, Class C with active input power > 25 W			
Test Result	: PASS			
Urms	: 220.21 V	Irms	: 0.1403 A	
UCF	: 1.414	ICF	: 1.426	
Voltage Freq	: 49.985 Hz	Current Freq	: 49.951 Hz	
Reactive Power	: 8.22 var	Apparent Power	: 30.89 VA	
Active Power	: 29.77 W	Power Factor	: 0.9639	
Phase Angle	: 14.89°	Displacement Factor	: 0.9664	
Start Phase	: -21.1°	Peak Phase	: 64.7°	End Phase : 158.9°



Current test Report

Limit Class : IEC 61000-3-2:2014, Class C with active input power > 25 W
Test Result : PASS

THD, THC, POHC

THD (%)	7.32	THC (A)	0.0101	POHC (A)	0.0027
---------	------	---------	--------	----------	--------

Basic Electric Parameter

Urms (V)	220.21	Voltage Freq (Hz)	49.985
Irms (A)	0.1403	ICF	1.426
Fundamental Current (A)	0.1398	Active Power (W)	29.77
Power Factor	0.9639	Displacement Factor	0.9664

Order	Current (%)	Limited (%)	Margin (%)	Result
2	0.05	2.00	2.31	PASS
3	3.99	28.92	13.80	PASS
5	1.28	10.00	12.79	PASS
7	3.12	7.00	44.57	PASS
9	1.97	5.00	39.32	PASS
11	2.08	3.00	69.17	PASS
13	2.56	3.00	85.25	PASS
15	1.26	3.00	42.00	PASS
17	1.04	3.00	34.81	PASS
19	1.71	3.00	57.06	PASS
21	0.48	3.00	16.09	PASS
23	0.48	3.00	15.90	PASS
25	0.63	3.00	20.99	PASS
27	1.44	3.00	48.01	PASS
29	0.37	3.00	12.41	PASS
31	0.40	3.00	13.46	PASS
33	0.25	3.00	8.25	PASS
35	0.54	3.00	18.03	PASS
37	0.37	3.00	12.46	PASS
39	0.72	3.00	23.93	PASS

Voltage Test Report

Limit Class : IEC 61000-3-2:2014, Class C with active input power > 25 W
Test Result : PASS

Item		Measured	Limited	Result
Voltage (V)		220.21	[215.60,224.40]	PASS
Frequency (Hz)		49.9848	[49.75,50.25]	PASS
Voltage CF		1.4145	[1.40,1.42]	PASS
Upk (°)		90.00	[87,93]	PASS
Order	Voltage (%)	Limited (%)	Margin (%)	Result
2	0.00	0.20	1.61	PASS
3	0.00	0.90	0.16	PASS
4	0.00	0.20	0.28	PASS
5	0.00	0.40	0.43	PASS
6	0.00	0.20	0.43	PASS
7	0.00	0.30	0.23	PASS
8	0.00	0.20	0.43	PASS
9	0.00	0.20	0.74	PASS
10	0.00	0.20	0.07	PASS
11	0.00	0.10	1.34	PASS
12	0.00	0.10	0.75	PASS
13	0.00	0.10	0.84	PASS
14	0.00	0.10	0.71	PASS
15	0.00	0.10	1.15	PASS
16	0.00	0.10	0.82	PASS
17	0.00	0.10	1.39	PASS
18	0.00	0.10	0.60	PASS
19	0.00	0.10	0.46	PASS
20	0.00	0.10	0.44	PASS
21	0.00	0.10	1.50	PASS
22	0.00	0.10	0.48	PASS
23	0.00	0.10	0.95	PASS
24	0.00	0.10	0.45	PASS
25	0.00	0.10	1.32	PASS
26	0.00	0.10	0.27	PASS
27	0.00	0.10	0.22	PASS
28	0.00	0.10	0.27	PASS
29	0.00	0.10	1.18	PASS
30	0.00	0.10	0.21	PASS
31	0.00	0.10	1.58	PASS
32	0.00	0.10	0.34	PASS
33	0.00	0.10	0.34	PASS
34	0.00	0.10	0.99	PASS
35	0.00	0.10	0.83	PASS
36	0.00	0.10	0.18	PASS
37	0.00	0.10	1.68	PASS
38	0.00	0.10	1.10	PASS
39	0.00	0.10	0.21	PASS
40	0.00	0.10	0.70	PASS

===== End of Report =====

Please be informed that this report is issued under the following conditions:

Harap diketahui bahwa laporan ini diterbitkan dengan ketentuan sebagai berikut:

1. Test/calibration result in the form of official report will be issued immediately after testing/calibration has been completed.
Hasil pengujian/kalibrasi dalam bentuk laporan resmi akan diterbitkan segera setelah pengujian/kalibrasi selesai dilakukan
2. Unless otherwise specified by the Client, this report shall only contain technical evaluation results conducted by PT QUALIS INDONESIA. In the event of a requirement to submit analysis, interpretation of the results, opinions and/or professional recommendations expressed thereupon, then these shall be indicated PT QUALIS INDONESIA in writing and additional fee, if applicable, borne by the Client.
Laporan ini hanya berisi hasil evaluasi teknis yang dilakukan oleh PT QUALIS INDONESIA kecuali diminta sebaliknya oleh Klien. Dalam hal diperlukannya penyampaian analisis, interpretasi terhadap hasil, pendapat dan/atau rekomendasi profesional, maka semua perlu disampaikan secara tertulis kepada PT QUALIS INDONESIA dan jika ada biaya tambahan maka akan dibebankan kepada Klien.
3. This report applies to the sample of the specific product/equipment given at the time of its testing/calibration. The results are not used to indicate or imply that they are applicable to other similar items. In addition, such results must not be used to indicate or imply that PT QUALIS INDONESIA approves, recommends or endorses the manufacturer, supplier or user of such product/equipment, or that PT QUALIS INDONESIA in any way "guarantees" the later performance of the product/equipment. Unless otherwise stated in this report, no tests were conducted to determine long term effects of using the specific product/equipment.
Laporan ini berlaku untuk sampel produk/peralatan tertentu yang diajukan pada saat pengujian/kalibrasi. Segala hasil tidak dapat digunakan untuk menunjukkan atau menyiratkan bahwa hasil evaluasi sampel berlaku untuk barang serupa lainnya. Selain itu, hasil tersebut tidak dapat digunakan untuk menunjukkan atau menyiratkan bahwa PT QUALIS INDONESIA menyetujui, merekomendasikan atau mengesahkan pabrikan, pemasok atau pengguna produk/peralatan tersebut, atau bahwa PT QUALIS INDONESIA dalam bentuk apapun "menjamin" kinerja produk/peralatan untuk seterusnya. Kecuali dinyatakan lain dalam laporan ini, tidak ada pengujian yang dilakukan untuk menentukan efek jangka panjang penggunaan produk/peralatan yang dimaksud.
4. The sample/s mentioned in this report is/are submitted/supplied/manufactured by the Client. PT QUALIS INDONESIA therefore assumes no responsibility for the accuracy of information on the brand name, model number, origin of manufacture, consignment or any other information supplied.
Sampel yang dicantumkan dalam laporan ini diserahkan/disediakan/diproduksi oleh Klien. Oleh karena itu, PT QUALIS INDONESIA tidak bertanggung jawab atas keakuratan informasi tentang nama merek, nomor model, asal-usul pembuatan, pengiriman atau informasi lainnya apapun yang diberikan.
5. Additional copies of the report are available to the Client at an additional fee. No third party can obtain a copy of this report through PT QUALIS INDONESIA, unless the Client has authorized PT QUALIS INDONESIA in writing to do so.
Salinan tambahan dari laporan ini tersedia untuk Klien dengan biaya tambahan. Tidak ada pihak ketiga yang dapat memperoleh salinan laporan ini melalui PT QUALIS INDONESIA, kecuali Klien telah memberi kuasa kepada PT QUALIS INDONESIA secara tertulis untuk melakukannya.
6. PT QUALIS INDONESIA may at its sole discretion add to or amend the conditions of the report at the time of report issuance. Such report and additions or amendments shall be binding on the Client.
Atas kebijakannya sendiri, PT QUALIS INDONESIA dapat menambah atau mengubah ketentuan laporan pada saat penerbitan laporan. Laporan dan penambahan atau amandemen tersebut bersifat mengikat untuk Klien.
7. All copyright in the report shall remain with PT QUALIS INDONESIA and the Client shall, upon payment of PT QUALIS INDONESIA's fees for the carrying out of the tests/calibrations, be granted the permission to use or publish the report to the third parties subject to the terms and conditions herein, provided that PT QUALIS INDONESIA is always at its absolute discretion entitled to impose such terms and conditions on the report as it sees relevant.
Seluruh hak cipta atas laporan tetap menjadi milik PT QUALIS INDONESIA dan setelah pembayaran biaya pelaksanaan pengujian/kalibrasi kepada PT QUALIS INDONESIA, Klien akan diberikan ijin untuk menggunakan atau mempublikasikan laporan kepada pihak ketiga dengan syarat dan ketentuan sebagaimana yang tertera dalam laporan ini, dengan catatan bahwa atas pertimbangan mutlakanya, PT QUALIS INDONESIA berhak memberlakukan syarat dan ketentuan yang dimaksud pada laporan yang dianggap relevan.
8. Nothing in this report shall be interpreted to mean that PT QUALIS INDONESIA has verified or ascertained any endorsement or marks from any other testing authority or bodies that may be found on that sample.
Tidak ada hal apapun dalam laporan ini yang dapat ditafsirkan bahwa PT QUALIS INDONESIA telah memverifikasi atau memberikan pengesahan atau tanda dari otoritas atau badan pengujian lain yang mungkin ditemukan pada sampel tersebut.
9. This report shall not be reproduced in parts and no reference shall be made by the Client to PT QUALIS INDONESIA, or to the report or results furnished by PT QUALIS INDONESIA in any advertisements or sales promotion.
Laporan ini tidak diperkenankan untuk dicetak ulang secara sebagian dan Klien tidak diperkenankan untuk membuat referensi terhadap PT QUALIS INDONESIA dalam iklan atau promosi penjualan, atau terhadap laporan atau hasil yang diterbitkan oleh PT QUALIS INDONESIA.